INDEX TO

EXPERIMENTAL MECHANICS

VOLUME 12, 1972

SUBJECT INDEX

Accelerometers, Active Notch Filters for Extending Frequency Response of—K. G. McConnell, 223–228 (May).
Accuracy of Goniometric Compensation Methods in Photoelastic Fringe-order Measurements, On the —S. M. Sathikh and G. W. Bigg, 47–49 (Jan.).
Active Notch Filters for Extending Frequency Response of Accelerometers—K. G. McConnell, 223–228 (May).
Air-holograms, Model Interferometry with—R. Mark and R. O'Regan, 332–334 (July).
Aluminum Alloy, Shear-strain-rate Effects in a High-strength—T. Nicholas and J. D. Campbell, 441–447 (Oct.).
Amplification of Longitudinal Stress Pulses in Elastic Bars with an Intermediate Tapered Region—D. Rader and M. Mao, 90–94 (Feb.).
Analog-discrete Approach for the Solution of a Class of Rigid-contact Problems—N. S. V. Kameswara Rao and I. Prakash, 564–569 (Dec.).
Anisotropic Composite Plates, Application of Holography to—R. E. Rowlands and I. M. Daniel, 75–82 (Feb.).
Application of Holography in High-temperature Displacement Measurements—T. R. Hsu and R. G. Moyer, 431–432 (Sept.).
Application of Profile Projectors to Moiré Analysis—A. R. Luxmoore, 216–222 (May).
Automated Biaxial Sheet Tester, An—A. San Miguel, 155-157 (March).

Babinet Compensator, Determination of Dominant Radiation in Polariscope by Means of—J. T. Pindera and N. K. Sinha, 38-42 (Jan.).
Birefringence, Inelastic, An Interpretation of—Discussion by S. M. Sathikh, 288 (June).
Birefringent-coating Method of Stress Analysis for Fiber-reinforced Laminated Composites, On the —R. B. Pipes and J. W. Dalley, 272–277 (June).
Buckling, Inelastic Cyclic—C. R. Prischmann and R. I. Stephens, 426–428 (Sept.).
Buckling of an Elastic Column Containing a Fatigue Crack—A. Berkovits and A. Golod, 368–371 (Aug.).
Bubbles, Experimental Analysis of Slow Viscous Flow Using Photoviscosity and—A. J. Durelli and J. S. Norgard, 169–177 (April).

Center Deflection of Minute Glass Diaphragms Under Uniform Pressure—C. J. Sandwith and D. Wiedemeier, 466–470 (Oct.).
Ceramic Coatings Measure the Complex Stresses in Gas-turbine Blades—R. Tyrer, 19N–21N (Aug.).
Characterization Studies of a Potential Photoelastoplastic Material—J. K. Whitfield and C. W. Smith, 67-74 (Feb.).
Circular Rings, Flyer-plate Loading of—W. E. Alzheimer, T. D. Ciolkosz and G. W. Seman, 148–151 (March).
Column Containing a Fatigue Crack, Buckling of an Elastic—A. Berkovits and A. Golod, 368–371 (Aug.).
Composite-material Behavior, Extension of Classical Experimental Techniques for Characterizing—K. T. Kavanagh, 50–56 (Jan.).
Composites, Experimental Study of the Failure Mechanism and Strength Characteristics of Fiber Bundles and—A. E. Armenàkas, S. K. Garg, C. A. Sciammarella and V. Svalbonas, 1–10 (Jan.).
Composites, Flexural Behavior of Reinforced-concrete Sandwich Composites—M. K. S. Phang and H. Kraus, 549–556 (Dec.).
Composites, On the Birefringent-coating Method of Stress Analysis for Fiber-reinforced Laminated—R. B. Pipes and J. W. Dalley, 272–277 (June).
Composites, One-dimensional Wave Pulses in Steel–Epoxy—G. E. Nevill, Jr., R. L. Sierakowski, C. A. Ross and E. R. Jones, 278–282 (June).
Conductive Polymers as Fatigue-damage Indicators—J. W. Dally and G. A. Panizza, 124–129 (March).
Crack-arrest Capability of a Hole, Photoelastic Investigation on the—A. S. Kobayashi, B. G. Wade

PUBLISHED BY SOCIETY FOR EXPERIMENTAL STRESS ANALYSIS, 21 BRIDGE SQUARE, WESTPORT, CONN. 06880

and D. E. Maiden, 32–37 (Jan.).
Crack Tips, A New Technique for Viewing Deformation Zones at—Discussion by P. S. Theocaris, 247-249 (May).
Cracks, Nozzle-corner, Shape Factors for—R. W. Derby, 580–584 (Dec.).
Cyclic-deformation Behavior of Notched Mild-steel Plates in Plane Stress—C. V. B. Gowda and T. H. Topper, 359–367 (Aug.).
Cylinder, Thick-walled, Material, A New Fracture-toughness Test Method for—D. P. Kendall and M. A. Hussain, 184–189 (April).
Cylindrical Shells, Longitudinal Impact of—R. W. Mortimer, J. L. Rose and P. C. Chou, 25–31 (Jan.).
Cylindrical Stress Waves Generated by Exploding Wires, Study of—J. L. Rose and P. C. Chou, 104-106 (Feb.).

Deflection of Minute Glass Diaphragms Under Uniform Pressure, Center—C. J. Sandwith and D. Wiedemeier, 466–470 (Oct.).
Deflections of a Tapered-thickness Cantilever Plate, Plastic Reversed—E. K. Lynn, 387–392 (Aug.).
Design Features and Results from Fatigue-reliability-research Machines—V. R. Lalli, D. Kececioglu and J. B. Jones, 345–351 (Aug.).
Design In—Information Out—W. J. Beggs and H. Ginsburg, 289–296 (June).
Determination of Dominant Radiation in Polariscope by Means of Babinet Compensator—J. T. Pindera and N. K. Sinha, 38–42 (Jan.).
Development of Orthogonal Bicolored Moiré Fringes, The—E. I. Riegner and A. E. Scotese, 393-397 (Sept.).
Diaphragm, Welded, Stresses in, due to Boundary Contraction and Normal Uniform Pressure—W. Soedel and R. A. Bahr, 283–287 (June).
Diffraction Gratings, A Method for Directly Determining Surface Strain Fields Using—Discussion by V. J. Parks, 433 (Sept.).
Diffraction Transducer for Vibration Analysis, A—W. J. Pastorius, T. R. Pryor and W. P. T. North, 341–344 (July).
Diffractographic Method, Displacement Measurement Along a Line by the —T. R. Pryor, O. L. Hageniers and W. P. T. North, 384–386 (Aug).
Diffractographic Torque Sensor—T. R. Pryor, O. L. Hageniers and W. P. T. North, 420–422 (Sept.).
Digital Transient-test Techniques—D. R. Harting, 335–340 (July).
Displacement Measurement Along a Line by the Diffractographic Method—T. R. Pryor, O. L. Hageniers and W. P. T. North, 384–386 (Aug.).
Ductile Fracture of Anisotropic Materials, The—C. W. Stormont, H. Gonzalez, Jr. and H. F. Brinson, 557–563 (Dec.).
Dugdale Model Adapted to the Transverse Bending of Plates, The—H. F. Brinson and H. Gonzales, Jr., 130–135 (March).

Effect of Low-frequency Biaxial Loads on Stress-concentration Factors in Plates, The—V. C. Saxena and K. E. Machin, 95–99 (Feb.).
Effect of Modulus Ratio on Stress Near a Discontinuous Fiber—T. F. MacLaughlin and R. M. Barker, 178–183 (April).
Effect of Specimen Geometry and Lateral Constraint on the Isothermal Compressibility of Low-strength Polymeric Materials, The—O. L. Burchett and C. W. Bert, 328–331 (July).
Elastic Bars with an Intermediate Tapered Region, Amplification of Longitudinal Stress Pulses in—D. Rader and M. Mao, 90–94 (Feb.).
Elastic Waves in Solids, Some Recent Developments in—Y.-H. Pao, 83–89 (Feb.).
Elasticity, A Photoelastic Material with Variable Modulus of—A. J. Durelli, H. Miller and F. Jones, 381–383 (Aug.).
Elastoplastic Stress Analysis, A Photomechanics Material for—D. H. Morris and W. F. Riley, 448–453 (Oct.).
Energy Technique for Use in the Vibration Testing of Complex Structures, An—S. Smith and A. A. Woods, Jr., 317–322 (July).
Error Analysis of Holographic Strains Determined by Cubic Splines, An—L. H. Taylor and G. B. Brandt, 543-548 (Dec.).
Evaluation of Finite-plasticity Theories for Nonproportionate Loading of Torsion–Tension Members—O. M. Sidebottom, 18–24 (Jan.).
Evaluation of Large Homogeneous Plastic Strains, On the—J. Wolak, 475–480 (Oct.).
Experimental Analysis of Slow Viscous Flow Using Photoviscosity and Bubbles—A. J. Durelli and J. S. Norgard, 169–177 (April).
Experimental Study of the Effects of Prestrain on the Propagation of Small Disturbances in Neoprene Filaments, An—H. Watson, Jr. and H. H. Calvit, 297–303 (July).
Experimental Study of the Failure Mechanism and Strength Characteristics of Fiber Bundles and Composites—A. E. Armenàkas, S. K. Garg, C. A. Sciammarella and V. Svalbonas, 1–10 (Jan.).
Experimental Study of the Magnetoelastic Postbuckling Behavior of a Beam, An—C. H. Popelar and C. O. Bast, 537–542 (Dec.).
Exploratory Investigation of Cumulative Shock Fatigue—D. Simonson and J. G. Bryne, 201–208 (April).
Extension of Classical Experimental Techniques for Characterizing Composite-material Behavior—K. T. Kavanagh, 50–56 (Jan.).
Extensometer Measuring Small Low-frequency Strains, A Ten-inch—P. G. Johnstone and D. G. Elms, 429–430 (Sept.).

Fatigue Crack, Buckling of an Elastic Column Containing a—A. Berkovits and A. Golod, 368–371 (Aug.).
Fatigue-damage Evaluation for Mild Steel Incorporating Mean Stress and Overload Effects—P. Watson and T. H. Topper, 11–17 (Jan.).
Fatigue-damage Indicators, Conductive Polymers as —J. W. Dally and G. A. Panizza, 124–129 (March).
Fatigue Information in Design, Using—H. Grover, 250–256 (May).
Fatigue-reliability-research Machines, Design Features and Results from—V. R. Lalli, D. Kececioglu and J. B. Jones, 345–351 (Aug.).
Fiber, Discontinuous, Effect of Modulus Ratio on Stress Near a—T. F. MacLaughlin and R. M. Barker, 178–183 (April).
Filament-wound Rings, Orthotropic Photoelastic Analysis of Residual Stresses in—C. E. Knight, Jr., 107–112 (Feb.).
Finite-plasticity Theories for Nonproportionate Loading of Torsion–Tension Members, Evaluation of—O. M. Sidebottom, 18–24 (Jan.).
Flexural Behavior of Reinforced-concrete Sandwich Composites—M. K. S. Phang and H. Kraus, 549–556 (Dec.).
Flyer-plate Loading of Circular Rings—W. E. Alzheimer, T. D. Ciolkosz and G. W. Seman, 148–151 (March).
Fracture of Anisotropic Materials, The Ductile—C. W. Stormont, H. Gonzalez, Jr. and H. F. Brinson, 557–563 (Dec.).
Fracture-toughness Test Method for Thick-walled Cylinder Material, A New—D. P. Kendall and M. A. Hussain, 184–189 (April).
Fringe Definition by Pseudo-solarization, Improving —B. N. Thadani, 423–425 (Sept.).
Full-field Isopachic Generation in Photoelastic Coatings—J. D. Hovanesian, G. Eggenberger and Y. Y. Hung, 196–200 (April).
Full-field Surface-strain and Displacement Analysis of Three-dimensional Objects by Speckle Interferometry—Y. Y. Hung and J. D. Hovanesian, 454–460 (Oct.).

Gage-length Errors in the Resolution of Dispersive Stress Waves—H. Watson, Jr., 352-358 (Aug.).
Gamma-ray-irradiation Method Applied to Three-dimensional Thermal Photoelasticity, The—J. F. Gross-Petersen, 414–419 (Sept.).
Glass, Thermal Fracture in, Some Characteristics of—B. B. Mohanty, 471–474 (Oct.).
Goniometric-compensation Technique Using Rotation

of the Polarizer, A—J. D. Fishburn and E. Foust, 481-482 (Oct.).
Gravity Stresses with Stress-frozen Gelatin, Photoelastic Analysis for—R. Richards, Jr., 100–103 (Feb.).

Holographic Interferogram, An Improved Method for Obtaining the General-displacement Field from a—S. K. Dhir and J. P. Sikora, 323–327 (July).
Holographic Photoelasticity, A Neoteric Interferometer for Use in—D. C. Holloway, W. F. Ranson and C. E. Taylor, 461–465 (Oct.).
Holographic Strains Determined by Cubic Splines, An Error Analysis of—L. H. Taylor and G. B. Brandt, 543–548 (Dec.).
Holography and Interferometry in Photoelasticity—D. Post, 113–123 (March).
Holography, Application of, to Anisotropic Composite Plates—R. E. Rowlands and I. M. Daniel, 75–82 (Feb.).
Holography in High-temperature Displacement Measurements, Application of—T. R. Hsu and R. G. Moyer, 431–432 (Sept.).
How Long Do Strain Gages Last?—G. A. Brewer, 19N (July).
Human Intervertebral Disk in Compression, A Semi-experimental Stress Analysis of the—L. Sonnerup, 142–147 (March).
Hydrogen-embrittled Specimens, Stress-intensity Factors of Hollow Notched Bars and—R. P. McNitt, S. O. Sawyer III and W. F. Thompson, 229–234 (May).

Improved Method for Obtaining the General-displacement Field from a Holographic Interferogram, An—S. K. Dhir and J. P. Sikora, 323–327 (July).
Improving Fringe Definition by Pseudo-solarization—B. N. Thadani, 423–425 (Sept.).
Inelastic Cyclic Buckling—C. R. Prischmann and R. I. Stephens, 426–428 (Sept.).
Interferometer for Use in Holographic Photoelasticity, A Neoteric—D. C. Holloway, W. F. Ranson and C. E. Taylor, 461–465 (Oct.).
Interferometry, Full-field Surface-strain and Displacement Analysis of Three-dimensional Objects by Speckle—Y. Y. Hung and J. D. Hovanesian, 454–460 (Oct.).
Interferometry in Photoelasticity, Holography and—D. Post, 113–123 (March).
Interferometry in Shock-wave Research, Laser—L. M. Barker, 209–215 (May).
Interferometry with Air-holograms, Model—R. Mark and R. O'Regan, 332–334 (July).
Interpretation of Inelastic Birefringence, An—Discussion by S. M. Sathikh, 288 (June).
Investigation of Root–Periodontium Interface Stresses and Displacements for Orthodontic Application—R. J. Nikolai and J. W. Schweiker, 406-413 (Sept.).
Isopachic Generation in Photoelastic Coatings, Full-field—J. D. Hovanesian, G. Eggenberger and Y. Y. Hung, 196–200 (April).
Isothermal Compressibility of Low-strength Polymeric Materials, The Effect of Specimen Geometry and Lateral Constraint on the—O. L. Burchett and C. W. Bert, 328–331 (July).

Laser Interferometry in Shock-wave Research—L. M. Barker, 209–215 (May).
Loading Rig in Which Axially Compressed Thin Cylindrical Shells Buckle Near Theoretical Values—R. S. Sendelbeck and N. J. Hoff, 372–376 (Aug.).
Longitudinal Impact of Cylindrical Shells—R. W. Mortimer, J. L. Rose and P. C. Chou, 25–31 (Jan.).

Magnetoelastic Postbuckling Behavior of a Beam, An Experimental Study of the—C. H. Popelar and C. O. Bast, 537–542 (Dec.).
Measurement of Two-dimensional State of Stress in Thin Films, A Whole-field Method for the—F. P. Chiang, 377–380 (Aug.).
Measuring Poisson's Ratios in Wood—A. Sliker, 239–242 (May).
Method for Directly Determining Surface Strain Fields Using Diffraction Gratings, A—Discussion by V. J. Parks, 433 (Sept.).
Micromechanics, Some Applications of—G. Herrmann, 235–238 (May).
Model Interferometry with Air-holograms—R. Mark and R. O'Regan, 332–334 (July).
Model Technique for Analysis of Nonlinear Structures, A—B. E. Lazar and M. S. Troitsky, 243–246 (May).
Moiré Analysis, Application of Profile Projectors to—A. R. Luxmoore, 216–222 (May).
Moiré Fringes, Bicolored, The Development of Orthogonal—E. I. Riegner and A. E. Scotese, 393–397 (Sept.).
Moiré Gap Equation, Some Experimental Evidence for the Validity of—V. Vicentini, 158 (March).

Natural Frequencies of a Hemispherical Shell—A. K. A. Eikrem and A. G. Doige, 575–579 (Dec.).
Neoteric Interferometer for Use in Holographic Photoelasticity, A—D. C. Holloway, W. F. Ranson and C. E. Taylor, 461–465 (Oct.).
New Fracture-toughness Test Method for Thick-walled Cylinder Material, A—D. P. Kendall and M. A. Hussain, 184–189 (April).
New Technique for Viewing Deformation Zones at Crack Tips, A—Discussion by P. S. Theocaris, 247–249 (May).
Nonlinear Structures, A Model Technique for Analysis of—B. E. Lazar and M. S. Troitsky, 243–246 (May).
Notched-bar Configuration Subjected to Bending, Photoelasto-Plastic Analysis of—Discussion by S. M. Sathikh, 482 (Oct.).
Notched Bars and Hydrogen-embrittled Specimens, Stress-intensity Factors of Hollow—R. P. McNitt, S. O. Sawyer III and W. F. Thompson, 229–234 (May).
Notch Filters for Extending Frequency Response of Accelerometers, Active—K. G. McConnell, 223–228 (May).

One-dimensional Wave Pulses in Steel–Epoxy Composites—G. E. Nevill, Jr., R. L. Sierakowski, C. A. Ross and E. R. Jones, 278–282 (June).
Operating Stresses on S. S. "Michigan" Propeller—G. A. Brewer, 159–168 (March).
Orthodontic Application, Investigation of Root-Periodontium Interface Stresses and Displacements for—R. J. Nikolai and J. W. Schweiker, 406–413 (Sept.).
Orthotropic Photoelastic Analysis of Residual Stresses in Filament-wound Rings—C. E. Knight, Jr., 107–112 (Feb.).
Overload Effects, Fatigue-damage Evaluation for Mild Steel Incorporating Mean Stress and—P. Watson and T. H. Topper, 11–17 (Jan.).

Photoelastic Analysis for Gravity Stresses with Stress-frozen Gelatin—R. Richards, Jr., 100–103 (Feb.).
Photoelastic Coatings, Full-field Isopachic Generation in—J. D. Hovanesian, G. Eggenberger and Y. Y. Hung, 196–200 (April).
Photoelastic Fringe-order Measurements, On the Accuracy of Goniometric Compensation Methods in—S. M. Sathikh and G. W. Bigg, 47–49 (Jan.).
Photoelastic Investigation on the Crack-arrest Capability of a Hole—A. S. Kobayashi, B. G. Wade and D. E. Maiden, 32–37 (Jan.).
Photoelastic Material with Variable Modulus of Elasticity, A—A. J. Durelli, H. Miller and F. Jones, 381–383 (Aug.).
Photoelasticity, Holography and Interferometry in—D. Post, 113–123 (March).
Photoelasticity, Techniques for the Determination of Absolute Retardation in—C. A. Sciammarella and G. Quintanilla, 57–66 (Feb.).
Photoelasticity, Three-dimensional Thermal, The Gamma-ray-irradiation Method Applied to—J. F. Gross-Petersen, 414–419 (Sept.).
Photoelasto-Plastic Analysis of Notched-bar Configuration Subjected to Bending—Discussion by S. M. Sathikh, 482 (Oct.).
Photoelastoplastic Material, Characterization Studies of a Potential—J. K. Whitfield and C. W. Smith, 67–74 (Feb.).

Photomechanics Material for Elastoplastic Stress Analysis, A—D. H. Morris and W. F. Riley, 448–453 (Oct.).
Photothermoelastic Study of Stress Concentrations in a Plate with Internal Heating—C. P. Burger, 483–488 (Oct.).
Photoviscosity and Bubbles, Experimental Analysis of Slow Viscous Flow Using—A. J. Durelli and J. S. Norgard, 169–177 (April).
Plastic Behavior, Isotropic and Anisotropic, Strain-history Effect on—K. R. Johnson and O. M. Sidebottom, 264–271 (June).
Plastic Reversed Deflections of a Tapered-thickness Cantilever Plate—E. K. Lynn, 387-392 (Aug.).
Plastic Strains, On the Evaluation of Large Homogeneous—J. Wolak, 475–480 (Oct.).
Plates in Plane Stress, Cyclic-deformation Behavior of Notched Mild-steel—C. V. B. Gowda and T. H. Topper, 359–367 (Aug.).
Plates, The Dugdale Model Adapted to the Transverse Bending of—H. F. Brinson and H. Gonzales, Jr., 130–135 (March).
Polarizer, A Goniometric-compensation Technique Using Rotation of the—J. D. Fishburn and E. Foust, 481–482 (Oct.).
Polymeric Materials, The Effect of Specimen Geometry and Lateral Constraint on the Isothermal Compressibility of Low-strength—O. L. Burchett and C. W. Bert, 328–331 (July).
Prestrain on the Propagation of Small Distrubances in Neoprene Filaments, An Experimental Study of the Effects of—H. Watson, Jr. and H. H. Calvit, 297–303 (July).
Propeller, Operating Stresses on S. S. "Michigan"—G. A. Brewer, 159–168 (March).

Residual Stresses in Filament-wound Rings, Orthotropic Photoelastic Analysis of—C. E. Knight, Jr., 107–112 (Feb.).
Rigid-contact Problems, Analog-discrete Approach for the Solution of a Class of—N. S. V. Kameswara Rao and I. Prakash, 564–569 (Dec.).

Scattered-light Technique in Two-dimensional Problems, A Study of the—J. H. Hemann and R. J. Becherer, 43–46 (Jan.).
Semi-experimental Stress Analysis of the Human Intervertebral Disk in Compression, A—L. Sonnerup, 142–147 (March).
Shape Factors for Nozzle-corner Cracks—R. W. Derby, 580–584 (Dec.).
Shear-strain-rate Effects in a High-strength Aluminum Alloy—T. Nicholas and J. D. Campbell, 441–447 (Oct.).
Sheet Tester, Biaxial, An Automated—A. San Miguel, 155–157 (March).
Shell, Hemispherical, Natural Frequencies of a—A. K. A. Eikrem and A. G. Doige, 575–579 (Dec.).
Shells, Loading Rig in Which Axially Compressed Thin Cylindrical, Buckle Near Theoretical Values—R. S. Sendelbeck and N. J. Hoff, 372–376 (Aug.).
Shock Fatigue, Exploratory Investigation of Cumulative—D. Simonson and J. G. Byrne, 201–208 (April).
Shock-wave Research, Laser Interferometry in—L. M. Barker, 209–215 (May).
Some Applications of Micromechanics—G. Herrmann, 235–238 (May).
Some Characteristics of Thermal Fracture in Glass—B. B. Mohanty, 471–474 (Oct.).
Some Experimental Evidence for the Validity of Moiré Gap Equation—V. Vicentini, 158 (March).
Some Recent Developments in Elastic Waves in Solids—Y.-H. Pao, 83–89 (Feb.).
Specimen Strain Measurement in the Split-Hopkinson-pressure-bar Experiment—W. N. Sharpe, Jr. and K. G. Hoge, 570–574 (Dec.).
Split-Hopkinson-pressure-bar Experiment, Specimen Strain Measurement in the—W. N. Sharpe, Jr. and K. G. Hoge, 570–574 (Dec.).
Strain-analysis Technique, Thin-film Light-intensity Measurement—J. G. Williams, 257–263 (June).
Strain Gage, Foil, at High Hydrostatic Pressure, Use of—G. S. Kular, 311–316 (July).
Strain Gages Last?, How Long Do—G. A. Brewer, 19N (July).
Strain-history Effect on Isotropic and Anisotropic Plastic Behavior—K. R. Johnson and O. M. Sidebottom, 264–271 (June).
Stress Analysis of Thick-walled Tube with Step Change in Thermal Expansion—A. Merend and T. Slot, 136–141 (March).
Stress-concentration Factors in Plates, The Effect of Low-frequency Biaxial Loads on—V. C. Saxena and K. E. Machin, 95–99 (Feb.).
Stress Concentrations in a Plate with Internal Heating, Photothermoelastic Study of—C. P. Burger, 483–488 (Oct.).
Stress Concentrations in Tensile Strips with Large Circular Holes—R. G. Belie and F. J. Appl, 190–195 (April).
Stress-intensity Factors of Hollow Notched Bars and Hydrogen-embrittled Specimens—R. P. McNitt, S. O. Sawyer III and W. F. Thompson, 229–234 (May).
Stress Waves, Gage-length Errors in the Resolution of Dispersive—H. Watson, Jr., 352–358 (Aug.).
Stresses in a Welded Diaphragm due to Boundary Contraction and Normal Uniform Pressure—W. Soedel and R. A. Bahr, 283–287 (June).
Stresses in Gas-turbine Blades, Ceramic Coatings Measure the Complex—R. Tyrer, 19N–21N (Aug.).
Stresses, Transient, in Axisymmetric Bodies of Varying Area—J. C. S. Yang and R. J. Hassett, 304–310 (July).
Study of Cylindrical Stress Waves Generated by Exploding Wires—J. L. Rose and P. C. Chou, 104–106 (Feb.).
Study of the Scattered-light Technique in Two-dimensional Problems, A—Discussion by Y. F. Cheng, 434–435 (Sept.).
Study of the Scattered-light Technique in Two-dimensional Problems, A—J. H. Hemann and R. J. Becherer, 43–46 (Jan.).
Surface-strain and Displacement Analysis of Three-dimensional Objects by Speckle Interferometry, Full-field—Y. Y. Hung and J. D. Hovanesian, 454–460 (Oct.).

Techniques for the Determination of Absolute Retardation in Photoelasticity—C. A. Sciammarella and G. Quintanilla, 57–66 (Feb.).
Ten-inch Extensometer Measuring Small Low-frequency Strains, A—P. G. Johnstone and D. G. Elms, 429–430 (Sept.).
Tensile Strips with Large Circular Holes, Stress Concentrations in—R. G. Belie and F. J. Appl, 190–195 (April).
Thin-film Light-intensity Measurement Strain-analysis Technique—J. G. Williams, 257–263 (June).
Torsional-impact Apparatus—R. S. Culver, 398–405 (Sept.).
Torque Sensor, Diffractographic—T. R. Pryor, O. L. Hageniers and W. P. T. North, 420–422 (Sept.).
Towards a Full-field Compensation Method—J. Cernosek, 152–154 (March).
Transient Stresses in Axisymmetric Bodies of Varying Area—J. C. S. Yang and R. J. Hassett, 304–310 (July).
Transient-test Techniques, Digital—D. R. Harting, 335–340 (July).
Tube, Thick-walled, with Step Change in Thermal Expansion, Stress Analysis of—A. Merend and T. Slot, 136–141 (March).

Use of Foil Strain Gage at High Hydrostatic Pressure—G. S. Kular, 311–316 (July).
Using Fatigue Information in Design—H. Grover, 250–256 (May).

Vibration Analysis, A Diffraction Transducer for—W. J. Pastorius, T. R. Pryor and W. P. T. North, 341–344 (July).
Vibration Testing of Complex Structures, Energy Technique for Use in the—S. Smith and A. A. Woods, Jr., 317–322 (July).

Whole-field Method for the Measurement of Two-dimensional State of Stress in Thin Films, A—F. P. Chiang, 377–380 (Aug.).
Wood, Measuring Poisson's Ratios in—A. Sliker, 239–242 (May).

AUTHOR INDEX

AJOVALIST, A.—Stress Separation in the Photoelastic Study of Centrifugal Stresses, 525-527 (Nov.).
ALZHEIMER, W. E.—Flyer-plate Loading of Circular Rings, 148-151 (March).
APPL, F. J.—Stress Concentrations in Tensile Strips with Large Circular Holes, 190-195 (April).
ARMENAKAS, A. E.—Experimental Study of the Failure Mechanism and Strength Characteristics of Fiber Bundles and Composites, 1-10 (Jan.).

BAHR, R. A.—Stresses in a Welded Diaphragm due to Boundary Contraction and Normal Uniform Pressure, 283-287 (June).
BARKER, L. M.—Laser Interferometry in Shock-wave Research, 209-215 (May).
BARKER, R. M.—Effect of Modulus Ratio on Stress Near a Discontinuous Fiber, 173-183 (April).
BAST, C. O.—An Experimental Study of the Magnetoelastic Postbuckling Behavior of a Beam, 537-542 (Dec.).
BECHERER, R. J.—A Study of the Scattered-light Technique in Two-dimensional Problems, 43-46 (Jan.).
BEGGS, W. J.—Design In—Information Out, 289-296 (June).
BELIE, R. G.—Stress Concentrations in Tensile Strips with Large Circular Holes, 190-195 (April).
BELLOW, D. G.—Experimental Behavior of Thin Circular Arches to Forced Excitation, 489-495 (Nov.).
BERKOVITS, A.—Buckling of an Elastic Column Containing a Fatigue Crack, 368-371 (Aug.).
BERT, C. W.—The Effect of Specimen Geometry and Lateral Constraint on the Isothermal Compressibility of Low-strength Polymeric Materials, 328-331 (July).
BRANDT, G. B.—An Error Analysis of Holographic Strains Determined by Cubic Splines, 543-548 (Dec.).
BREWER, G. A.—How Long Do Strain Gages Last?, 19N (July).
BREWER, G. A.—Operating Stresses on S. S. "Michigan" Propeller, 159-168 (March).
BRINSON, H. F.—The Ductile Fracture of Anisotropic Materials, 557-563 (Dec.).
BRINSON, H. F.—The Dugdale Model Adapted to the Transverse Bending of Plates, 130-135 (March).
BROWN, W. S.—Split-Hopkinson-bar Tests on Rock under Confining Pressure, 508-513 (Nov.).
BURCHETT, O. L.—The Effect of Specimen Geometry and Lateral Constraint on the Isothermal Compressibility of Low-strength Polymeric Materials, 328-331 (July).
BURGER, C. P.—Photothermoelastic Study of Stress Concentrations in a Plate with Internal Heating, 483-488 (Oct.).
BYRNE, J. G.—Exploratory Investigation of Cumulative Shock Fatigue, 201-208 (April).

CALVIT, H. H.—An Experimental Study of the Effects of Prestrain on the Propagation of Small Disturbances in Neoprene Filaments, 297-303 (July).
CAMPBELL, J. D.—Shear-strain-rate Effects in a High-strength Aluminum Alloy, 441-447 (Oct.).
CAMPBELL, J. D.—The Development and Use of a Torsional Hopkinson-bar Apparatus, 520-524 (Nov.).
CERNOSEK, Jan—Towards a Full-field Compensation Method, 152-154 (March).
CHENG, Y. F.—A Study of the Scattered-light Technique in Two-dimensional Problems, 434-435 (Sept.).
CHIANG, F. P.—A Whole-field Method for the Measurement of Two-dimensional State of Stress in Thin Films, 377-380 (Aug.).
CHICHENEV, N. A.—Developments in the Optical Spatial Filtering of Superposed Crossed Gratings, 496-501 (Nov.).
CHOU, P. C.—Longitudinal Impact of Cylindrical Shells, 23-31 (Jan.).
CHOU, P. C.—Study of Cylindrical Stress Waves Generated by Exploding Wires, 104-106 (Feb.).
CHRISTENSEN, R. J.—Split-Hopkinson-bar Tests on Rock under Confining Pressure, 508-513 (Nov.).
CIOLKOSZ, T. D.—Flyer-plate Loading of Circular Rings, 148-151 (March).
CLARK, J. A.—Developments in the Optical Spatial Filtering of Superposed Crossed Gratings, 496-501 (Nov.).
COLLINS, R.—Mechanics of Pressure Cells, 514-519 (Nov.).
COOK, W. A.—Three-dimensional Photoelastic and Finite-element Analysis of a Propellant Grain, 436-440 (Sept.).
CULVER, RICHARD S.—Torsional-impact Apparatus, 398-405 (Sept.).

DALLY, J. W.—Conductive Polymers as Fatigue-damage Indicators, 124-129 (March).
DALLEY, J. W.—On the Birefringent-coating Method of Stress Analysis for Fiber-reinforced Laminated Composites, 272-277 (June).
DANIEL, I. M.—Application of Holography to Anisotropic Composite Plates, 75-82 (Feb.).
DERBY, R. W.—Shape Factors for Nozzle-corner Cracks, 580-584 (Dec.).
DHIR, S. K.—An Improved Method for Obtaining the General-displacement Field from a Holographic Interferogram, 323-327 (July).
DOIGE, A. G.—Natural Frequencies of a Hemispherical Shell, 575-579 (Dec.).
DURELLI, A. J.—A Photoelastic Material with Variable Modulus of Elasticity, 381-383 (Aug.).
DURELLI, A. J.—Developments in the Optical Spatial Filtering of Superposed Crossed Gratings, 496-501 (Nov.).
DURELLI, A. J.—Experimental Analysis of Slow Viscous Flow Using Photoviscosity and Bubbles, 169-177 (April).

EGGENBERGER, G.—Full-field Isopachic Generation in Photoelastic Coatings, 196-200 (April).
EIKREM, A. K. A.—Natural Frequencies of a Hemispherical Shell, 575-579 (Dec.).
ELMS, D. G.—A Ten-inch Extensometer Measuring Small Low-frequency Strains,429-430 (Sept.).
EWERT, R.—Dynamic Viscoelastic Response of Bone, 502-507 (Nov.).

FISHBURN, J. D.—A Goniometric-compensation Technique Using Rotation of the Polarizer, 481-482 (Oct.).
FOUST, E.—A Goniometric-compensation Technique Using Rotation of the Polarizer, 481-482 (Oct.).

GARG, S. K.—Experimental Study of the Failure Mechanism and Strength Characteristics of Fiber Bundles and Composites, 1-10 (Jan.).
GERDEEN, J. C.—Experimental Determination of Stress-concentration Factors in Thick-walled Cylinders with Crossholes and Sideholes, 530-536 (Nov.).
GINSBURG, H.—Design In—Information Out, 289-296 (June).
GOLOD, A.—Buckling of an Elastic Column Containing a Fatigue Crack, 368-371 (Aug.).
GONZALEZ, H., JR.—The Ductile Fracture of Anisotropic Materials, 557-563 (Dec.).
GONZALES, H., JR.—The Dugdale Model Adapted to the Transverse Bending of Plates, 130-135 (March).
GOWDA, C. V. B.—Cyclic-deformation Behavior of Notched Mild-steel Plates in Plane Stress, 359-367 (Aug.).
GROSS-PETERSEN, J. F.—The Gamma-ray-irradiation Method Applied to Three-dimensional Thermal Photoelasticity, 414-419 (Sept.).
GROVER, H.—Using Fatigue Information in Design, 250-256 (May).

HAGENIERS, O. L.—Diffractographic Torque Sensor, 420-422 (Sept.).
HAGENIERS, O. L.—Displacement Measurement Along a Line by the Diffractographic Method, 384-386 (Aug.).
HARTING, DARRELL R.—Digital Transient-test Techniques, 335-340 (July).
HASSETT, R. J.—Transient Stresses in Axisymmetric Bodies of Varying Area, 304-310 (July).
HEMANN, J. H.—A Study of the Scattered-light Technique in Two-dimensional Problems, 43-46 (Jan.).
HERRMANN, G.—Some Applications of Micromechan-

ics, 235-238 (May).
HOFF, N. J.—Loading Rig in Which Axially Compressed Thin Cylindrical Shells Buckle Near Theoretical Values, 372-376 (Aug.).
HOGE, K. G.—Specimen Strain Measurement in the Split-Hopkinson-pressure-bar Experiment, 570-574 (Dec.).
HOLLOWAY, D. C.—A Neoteric Interferometer for Use in Holographic Photoelasticity, 461-465 (Oct.).
HOVANESIAN, J. D.—Full-field Isopachic Generation in Photoelastic Coatings, 196-200 (April).
HOVANESIAN, J. D.—Full-field Surface-strain and Displacement Analysis of Three-dimensional Objects by Speckle Interferometry, 454-460 (Oct.).
HSU, T. R.—Application of Holography in High-temperature Displacement Measurements, 431-432 (Sept.).
HUNG, Y. Y.—Full-field Isopachic Generation in Photoelastic Coatings, 196-200 (April).
HUNG, Y. Y.—Full-field Surface-strain and Displacement Analysis of Three-dimensional Objects by Speckle Interferometry, 454-460 (Oct.).
HUSSAIN, M. A.—A New Fracture-toughness Test Method for Thick-walled Cylinder Material, 184-189 (April).

JOHNSON, K. R.—Strain-history Effect on Isotropic and Anisotropic Plastic Behavior, 264-271 (June).
JOHNSTONE, P. G.—A Ten-inch Extensometer Measuring Small Low-frequency Strains, 429-430 (Sept.).
JONES, E. R.—One-dimensional Wave Pulses in Steel–Epoxy Composites, 278-282 (June).
JONES, F.—A Photoelastic Material with Variable Modulus of Elasticity, 381-383 (Aug.).

KAMESWARA, RAO, N. S. V.—Analog-discrete Approach for the Solution of a Class of Rigid-contact Problems, 564-569 (Dec.).
KAVANAGH, K. T.—Extension of Classical Experimental Techniques for Characterizing Composite-material Behavior, 50-56 (Jan.).
KECECIOGLU, D.—Design Features and Results from Fatigue-reliability-research Machines, 345-351 (Aug.).
KENDALL, D. P.—A New Fracture-toughness Test Method for Thick-walled Cylinder Material, 184-189 (April).
KNIGHT, C. E., JR.—Orthotropic Photoelastic Analysis of Residual Stresses in Filament-wound Rings, 107-112 (Feb.).
KOBAYASHI, A. S.—Photoelastic Investigation on the Crack-arrest Capability of a Hole, 32-37 (Jan.).
KRAUS, H.—Flexural Behavior of Reinforced-concrete Sandwich Composites, 549-556 (Dec.).
KULAR, GURNAM S.—Use of Foil Strain Gage at High Hydrostatic Pressure, 311-316 (July).

LALLI, V. R.—Design Features and Results from Fatigue-reliability-research Machines, 345-351 (Aug.).
LAZAR, B. E.—A Model Technique for Analysis of Nonlinear Structures, 243-246 (May).
LEE, K. J.—Mechanics of Pressure Cells, 514-519 (Nov.).
LEWIS, J. L.—The Development and Use of a Torsional Hopkinson-bar Apparatus, 520-524 (Nov.).
LILLY, G. P.—Mechanics of Pressure Cells, 514-519 (Nov.).
LUXMOORE, A. R.—Application of Profile Projectors to Moiré Analysis, 216-222 (May).
LYNN, E. K., III—Plastic Reversed Deflections of a Tapered-thickness Cantilever Plate, 387-392 (Aug.).

MACHIN, K. E.—The Effect of Low-frequency Biaxial Loads on Stress-concentration Factors in Plates, 95-99 (Feb.).
MACLAUGHLIN, T. F.—Effect of Modulus Ratio on Stress Near a Discontinuous Fiber, 178-183 (April).
MAIDEN, D. E.—Photoelastic Investigation on the Crack-arrest Capability of a Hole, 32-37 (Jan.).
MAO, M.—Amplification of Longitudinal Stress Pulses in Elastic Bars with an Intermediate Tapered Region, 90-95 (Feb.).
MCCONNELL, J. B.—Design Features and Results from Fatigue-reliability-research Machines, 345-351 (Aug.).
MCCONNELL, K. G.—Active Notch Filters for Extending Frequency Response of Accelerometers, 223-228 (May).
MCNITT, R. P.—Stress-intensity Factors of Hollow Notched Bars and Hydrogen-embrittled Specimens, 229-234 (May).
MARK, R.—Model Interferometry with Air-Holograms, 332-334 (July).
MEREND, A.—Stress Analysis of Thick-walled Tube with Step Change in Thermal Expansion, 136-141 (March).
MILLER, H.—A Photoelastic Material with Variable Modulus of Elasticity, 381-383 (Aug.).
MOHANTY, BIBHUTI B.—Some Characteristics of Thermal Fracture in Glass, 471-474 (Oct.).
MORRIS, D. H.—A Photomechanics Material for Elastoplastic Stress Analysis, 448-453 (Oct.).
MORTIMER, R. W.—Longitudinal Impact of Cylindrical Shells, 25-31 (Jan.).
MOYER, R. G.—Application of Holography in High-temperature Displacement Measurements, 431-432 (Sept.).

NELSON, J. M.—Three-dimensional Photoelastic and Finite-element Analysis of a Propellant Grain, 436-440 (Sept.).
NEVILL, G. E., JR.—One-dimensional Wave Pulses in Steel–Epoxy Composites, 278-282 (June).
NICHOLAS, T.—Shear-strain-rate Effects in a High-strength Aluminum Alloy, 441-447 (Oct.).
NIKOLAI, R. J.—Investigation of Root–Periodontium Interface Stresses and Displacements for Orthodontic Application, 406-413 (Sept.).
NIRANJAN, V.—Dynamic Viscoelastic Response of Bone, 502-507 (Nov.).
NORGARD, J. S.—Experimental Analysis of Slow Viscous Flow Using Photoviscosity and Bubbles, 169-177 (April).
NORTH, W. P. T.—A Diffraction Transducer for Vibration Analysis, 341-355 (July).
NORTH, W. P. T.—Diffractographic Torque Sensor, 420-422 (Sept.).
NORTH, W. P. T.—Displacement Measurement Along a Line by the Diffractographic Method, 384-386 (Aug.).

O'REGAN, R.—Model Interferometry with Air-holograms, 332-334 (July).

PANIZZA, G. A.—Conductive Polymers as Fatigue-damage Indicators, 124-129 (March).
PAO, YIH-HSING—Some Recent Developments in Elastic Waves in Solids, 83-90 (Feb.).
PARKS, V. J.—A Method for Directly Determining Surface Strain Fields Using Diffraction Gratings, 433 (Sept.).
PARKS, V. J.—An Application of Holography to Complete Stress Analysis of Photoelastic Models, 528-529 (Nov.).
PASTORIUS, W. J.—A Diffraction Transducer for Vibration Analysis, 341-344 (July).
PHANG, M. K. S.—Flexural Behavior of Reinforced-concrete Sandwich Composites, 549-556 (Dec.).
PINDERA, J. T.—Determination of Dominant Radiation in Polariscope by Means of Babinet Compensator, 38-42 (Jan.).
PIPES, R. B.—On the Birefringent-coating Method of Stress Analysis for Fiber-reinforced Laminated Composites, 272-277 (June).
POPELAR, C. H.—An Experimental Study of the Magnetoelastic Postbuckling Behavior of a Beam, 537-542 (Dec.).
POST, D.—Holography and Interferometry in Photoelasticity, 113-123 (March).
PRAKASH, I.—Analog-discrete Approach for the Solution of a Class of Rigid-contact Problems, 564-569 (Dec.).
PRISCHMANN, C. R.—Inelastic Cyclic Buckling, 426-428 (Sept.).
PRYOR, T. R.—A Diffraction Transducer for Vibration Analysis, 341-355 (July).
PRYOR, T. R.—Diffractographic Torque Sensor, 420-422 (Sept.).
PRYOR, T. R.—Displacement Measurement Along a Line by the Diffractographic Method, 384-386 (Aug.).

QUINTANILLA, G.—Techniques for the Determination of Absolute Retardation in Photoelasticity, 57-66 (Feb.).

RADER, D.—Amplification of Longitudinal Stress Pulses in Elastic Bars with an Intermediate Tapered Region, 90-95 (Feb.).
RANSON, W. F.—A Neoteric Interferometer for Use in Holographic Photoelasticity, 461-465 (Oct.).
REIGNER, E. I.—The Development of Orthogonal Bicolored Moiré Fringes, 393-397 (Sept.).
RICHARDS, R., JR.—Photoelastic Analysis for Gravity Stresses with Stress-frozen Gelatin, 100-103 (Feb.).
RILEY, W. F.—A Photomechanics Material for Elasto-plastic Stress Analysis, 448-453 (Oct.).
ROSE, J. L.—Longitudinal Impact of Cylindrical Shells, 25-31 (Jan.).
ROSE, J. L.—Study of Cylindrical Stress Waves Generated by Exploding Wires, 104-106 (Feb.).
ROSS, C. A.—One-dimensional Wave Pulses in Steel–Epoxy Composites, 278-282 (June).
ROWLANDS, R. E.—Application of Holography to Anisotropic Composite Plates, 75-82 (Feb.).

SANDWITH, C. J.—Center Deflection of Minute Glass Diaphragms Under Uniform Pressure, 466-470 (Oct.).
SANFORD, R. J.—An Application of Holography to Complete Stress Analysis of Photoelastic Models, 528-529 (Nov.).
SAN MIGUEL, A.—An Automated Biaxial Sheet Tester, 155-157 (March).
SATHIKH, S. M.—An Interpretation of Inelastic Birefringence, 288 (June).
SATHIKH, S. M.—On the Accuracy of Goniometric Compensation Methods in Photoelastic Fringe-order Measurements, 47-49 (Jan.).
SATHIKH, S. M.—Photoelasto-Plastic Analysis of Notched-bar Configuration Subjected to Bending, 482 (Oct.).
SAWYER, S. O., III—Stress-intensity Factors of Hollow Notched-bars and Hydrogen-embrittled Specimens, 229-234 (May).
SAXENA, V. C.—The Effect of Low-frequency Biaxial Loads on Stress-concentration Factors in Plates, 95-99 (Feb.).
SCIAMMARELLA, C. A.—Experimental Study of the Failure Mechanism and Strength Characteristics of Fiber Bundles and Composites, 1-10 (Jan.).
SCIAMMARELLA, C. A.—Techniques for the Determination of Absolute Retardation in Photoelasticity, 57-66 (Feb.).
SCHWEIKER, J. W.—Investigation of Root–Periodontium Interface Stresses and Displacements for Orthodontic Application, 406-413 (Sept.).
SCOTESE, A. E.—The Development of Orthogonal Bicolored Moiré Fringes, 393-397 (Sept.).
SEMAN, G. W.—Flyer-plate Loading of Circular Rings, 148-151 (March).
SEMENIUK, A.—Experimental Behavior of Thin Circular Arches to Forced Excitation, 489-495 (Nov.).
SENDELBECK, R. S.—Loading Rig in Which Axially Compressed Thin Cylindrical Shells Buckle Near Theoretical Values, 372-376 (Aug.).
SHARPE, W. N., JR.—Specimen Strain Measurement in the Split-Hopkinson-pressure-bar Experiment, 570-574 (Dec.).
SIDEBOTTOM, O. M.—Evaluation of Finite-plasticity Theories for Nonproportionate Loading of Torsion–Tension Members, 18-24 (Jan.).
SIDEBOTTOM, O. M.—Strain-history Effect on Isotropic and Anisotropic Plastic Behavior, 264-271 (June).
SIERAKOWSKI, R. L.—One-dimensional Wave Pulses in Steel–Epoxy Composites, 278-282 (June).
SIKORA, J. P.—An Improved Method for Obtaining the General-displacement Field from a Holographic Interferogram, 323-327 (July).
SIMONSON, D.—Exploratory Investigation of Cumulative Shock Fatigue, 201-208 (April).
SINHA, N. K.—Determination of Dominant Radiation in Polariscope by Means of Babinet Compensator, 38-42 (Jan.).
SLIKER, ALAN—Measuring Poisson's Ratios in Wood, 239-242 (May).
SLOT, T.—Stress Analysis of Thick-walled Tube with Step Change in Thermal Expansion, 136-141 (March).
SMITH, C. W.—Characterization Studies of a Potential Photoelastoplastic Material, 67-74 (Feb.).
SMITH, R. E.—Experimental Determination of Stress-concentration Factors in Thick-walled Cylinders with Crossholes and Sideholes, 530-536 (Nov.).
SMITH, S.—An Energy Technique for Use in the Vibration Testing of Complex Structures, 317-322 (July).
SOEDEL, W.—Stresses in a Welded Diaphragm due to Boundary Contraction and Normal Uniform Pressure, 283-287 (June).
SONNERUP, L.—A Semi-experimental Stress Analysis of the Human Intervertebral Disk in Compression, 142-147 (March).
STEPHENS, R. I.—Inelastic Cyclic Buckling, 426-428 (Sept.).
STIBOR, G. S.—Three-dimensional Photoelastic and Finite-element Analysis of a Propellant Grain, 436-440 (Sept.).
STORMONT, C. W.—The Ductile Fracture of Anisotropic Materials, 557-563 (Dec.).
SVALBONAS, V.—Experimental Study of the Failure Mechanism and Strength Characteristics of Fiber Bundles and Composites, 1-10 (Jan.).
SWANSON, S. R.—Split-Hopkinson-bar Tests on Rock under Confining Pressure, 508-513 (Nov.).

SZABÓ, VENDELÍN—An Application of Holography to Complete Stress Analysis of Photoelastic Models, 528-529 (Nov.).

TAYLOR, C. E.—A Neoteric Interferometer for Use in Holographic Photoelasticity, 461-465 (Oct.).
TAYLOR, L. H.—An Error Analysis of Holographic Strains Determined by Cubic Splines, 543-548 (Dec.).
TENNYSON, R. C.—Dynamic Viscoelastic Response of Bone, 502-507 (Nov.).
THADANI, B. N.—Improving Fringe Definition by Pseudo-solarization, 423-426 (Sept.).
THEOCARIS, P. S.—A New Technique for Viewing Deformation Zones at Crack Tips, 247-249 (May).
THOMPSON, W. F.—Stress-intensity Factors of Hollow Notched Bars and Hydrogen-embrittled Specimens, 229-234 (May).
TOPPER, T. H.—Cyclic-deformation Behavior of Notched Mild-steel Plates in Plane Stress, 359-367 (Aug.).
TOPPER, T. H.—Fatigue-damage Evaluation for Mild Steel Incorporating Mean Stress and Overload Effects, 11-17 (Jan.).
TROITSKY, M. S.—A Model Technique for Analysis of Nonlinear Structures, 243-246 (May).
TYRER, RAY–Ceramic Coatings Measure the Complex Stresses in Gas-turbine Blades, 19N-21N (Aug.).

VICENTINI, V.—Some Experimental Evidence for the Validity of Moiré Gap Equation, 158 (March).

WADE, B. G.—Photoelastic Investigation on the Crack-arrest Capability of a Hole, 32-37 (Jan.).
WATSON, H., JR.—An Experimental Study of the Effects of Prestrain on the Propagation of Small Disturbances in Neoprene Filaments, 297-303 (July).
WATSON, H., JR.—Gage-length Errors in the Resolution of Dispersive Stress Waves, 352-358 (Aug.).
WATSON, P.—Fatigue-damage Evaluation for Mild Steel Incorporating Mean Stress and Overload Effects, 11-17 (Jan.).
WESTMANN, R. A.—Mechanics of Pressure Cells, 514-519 (Nov.).
WHITFIELD, J. K.—Characterization Studies of a Potential Photoelastoplastic Material, 67-74 (Feb.).
WIEDEMEIER, D.—Center Deflection of Minute Glass Diaphragms Under Uniform Pressure, 466-470 (Oct.).
WILLIAMS, J. G.—Thin-film Light-intensity Measurement Strain-analysis Technique, 257-263 (June).
WOLAK, J.—On the Evaluation of Large Homogeneous Plastic Strains, 475-480 (Oct.).
WOODS, A. A., JR.—An Energy Technique for Use in the Vibration Testing of Complex Structures, 317-322 (July).

YANG, J. C. S.—Transient Stresses in Axisymmetric Bodies of Varying Area, 304-310 (July).